



bike parts






OBSAH

- Cycle computers 3–5
- Lighting 6–14
- Pumps 16–19
- Bags 20–26
- Carriers 27
- Locks 28–33
- Tools 34–37
- Mudguards 38–39
- Bottle cages 40–42
- Bottles 44–45
- Bells 46–48
- Wheels decorations, balance wheels 49
- Kid's baskets 51
- Brake pads, brake shoes 52–53
- Grips 54–55
- Stands 56
- Pedals 57
- Saddle cover, wheel reflectors 58
- Bar ends 58
- Tubes 59
- Tires 60–61













LIGHTING

-  CREE LED
-  Red COB LEDs
-  USB charging
-  5 W LED
-  Vision
-  Run time
-  Waterproof

CYCLE COMPUTERS

-  USB charging
-  Wireless
-  Large display
-  Display backlight
-  2 bikes





PUMPS

-  Aluminium material
-  Steel body
-  Manometer
-  Telescope
-  Foldable T-handle
-  Frame bracket
-  Anti-dust cap
-  Flex hose
-  High pressure
-  High volume
-  Lightweight
-  Ball needle
-  For valves FV and AV

LOCKS

-  Length
-  Diameter of wire / chain segment
-  Security level






MINI TOOLS

-  Hex
-  Screwdriver
-  Torx
-  Spoke wrench
-  Riveting tool
-  Tire levers

BOTTLES

-  BPA free

BRAKE PADS / SHOES

-  For disc brakes
-  For rim brakes
-  High efficiency in all conditions
-  Organic
-  No-dirt construction

GRIPS

-  Aluminium lock LockRing

BAGS

-  Quick-release T-Fix system



WIRELESS CYCLE COMPUTER BRAIN 20.0 ATS

651110

wireless data transmission (ATS)
4 segments display
large numbers
easy mounting on handlebar or stem
water resistant

20 functions:

- current speed
- average speed
- maximum speed
- speed pacer
- graphic speed indicator
- trip distance
- total distance
- distance above / below average speed
- riding time
- total riding time
- burned calories
- clock (12/24 h)
- stopwatch
- date
- temperature
- memory backup 7 days
- auto start/stop
- switch automatically between daily data
- backlighting display
- multilingual menu (EN, D, FR, ES, IT)



CYCLE COMPUTERS



650610

WIRELESS CYCLE COMPUTER

PILOT 16.0 ATS

wireless data transmission (ATS)
 3 rows display
 useable for 2 bikes (modes bike 1/bike 2)
 Li-Ion rechargeable battery with durability approx. 120 hours
 USB cable included
 easy mounting on handlebar or stem
 water resistant

16 functions:

- current speed
- average speed
- maximum speed
- speed pacer
- trip distance
- total distance (modes bike 1/bike 2)
- riding time
- total riding time (modes bike 1/bike 2)
- memory backup 7 days
- clock (12/24 h)
- date
- temperature
- auto start/stop
- low battery indicator
- backlighting display



SET FOR SECOND BIKE ATS

659210



650710

CYCLE COMPUTER

PILOT 16.0

3 rows display
 useable for 2 bikes (modes bike 1/bike 2)
 Li-Ion rechargeable battery with durability approx. 120 hours
 USB cable included
 easy mounting on handlebar or stem
 water resistant

16 functions:

- current speed
- average speed
- maximum speed
- speed pacer
- trip distance
- total distance (modes bike 1/bike 2)
- riding time
- total riding time (modes bike 1/bike 2)
- memory backup 7 days
- clock
- date
- temperature
- auto start/stop
- low battery indicator
- backlighting display



SET FOR SECOND BIKE

659310

CYCLE COMPUTERS



650910

WIRELESS CYCLE COMPUTER CUBE 12.0 ATS

wireless transmission ATS

large numbers

easy mounting on handlebar or stem

water resistant

12 functions:

- current speed
- average speed
- maximum speed
- speed pacer
- trip distance
- total distance
- riding time
- total riding time
- clock (12/24 h)
- temperature
- auto start/stop
- scan
- backlighting display



651010

CYCLE COMPUTER CUBE 12.0

large numbers

easy mounting on handlebar or stem

water resistant

12 functions:

- current speed
- average speed
- maximum speed
- speed pacer
- trip distance
- total distance
- riding time
- total riding time
- clock (12/24 h)
- temperature
- auto start/stop
- scan
- backlighting display





FRONT LIGHT VISION 7.0 USB

- extremely efficient white LED 5 W
- 3 modes – 2 light intensities, flashing
- luminous flux 300 lm
- light intensity 2.000 lx
- Vision 60 m
- run time 2 – 3 hours
- Li-Ion rechargeable battery with capacity 1.500 mAh
- low battery indicator
- USB cable included
- with two brackets, for handlebar and for helmet
- waterproof IPX4
- tool-free mounting



FRONT LIGHT VISION 7.0

- extremely efficient white LED 5 W
- 3 modes – 2 light intensities, flashing
- luminous flux 300 lm
- light intensity 2.000 lx
- Vision 60 m
- light time up to 4 hours
- with two brackets, for handlebar and for helmet
- waterproof IPX4
- tool-free mounting
- batteries 3x AAA included





W11710

FRONT LIGHT USB

- extremely efficient white LED 1 W
- 3 modes – 2 light intensities, flashing
- luminous flux 100 lm
- Li-Ion rechargeable battery
- low battery indicator
- USB cable included
- waterproof (IP44)
- tool-free mounting



601610

FRONT LIGHT VISION 5.1

- extremely bright, white 3 W power CREE LED
- 3 modes: 2 different intensity of lighting, flashing
- beam length up to 40 m
- burn time up to 80 h
- waterproof
- tool-free mounting
- 3x AAA batteries incl.



600310

FRONT LIGHT VISION 5.0

- extremely bright, white 1 W power LED
- 3 modes: permanent, flashing, fast flashing
- beam length up to 40 m
- burn time up to 40 h
- waterproof
- tool-free mounting
- 3x AAA batteries incl.





601710

FRONT LIGHT VISION 3.2

- extremely bright, white 0,5 W power LED
- 3 modes: permanent, flashing, fast flashing
- output of 10 lux
- beam length up to 50 m
- burn time up to 100 h
- waterproof
- tool-free mounting
- 3x AAA batteries incl.



601810

FRONT LIGHT VISION 2.0

- silicon material
- 4 extremely bright, white LEDs
- 3 modes: 2 different intensity of lighting, flashing
- output of 50 lm
- beam length up to 15 m
- burn time up to 90 h
- waterproof
- tool-free mounting
- 2x CR2032 batteries incl.



600110

FRONT LIGHT VISION 1.0

- 4 super bright white LEDs
- 3 modes: permanent, 2 types of flashing
- beam length up to 20 m
- burn time up to 80 h
- waterproof
- tool-free mounting
- 3x AAA batteries incl.





602910

SAFETY REAR LIGHT SAFE 7.0

- extremely efficient red COB LEDs
- 3 modes – permanent light (100 %, 50 %), flashing
- horizontal and vertical positioning
- vision 700 m
- light time up to 70 h
- water resistant IPX3
- tool-free mounting
- batteries 2x CR2032 included



602010

SAFETY REAR LIGHT SAFE 5.1

- 3 extremely bright red LEDs
- 4 modes: permanent, 2 types of flashing, booster effect
- horizontal and vertical position
- visibility approx. 700 m
- burn time flashing approx. 50 h
- waterproof
- tool-free mounting
- 1x AAA batterie incl.





600910

SAFETY REAR LIGHT SAFE 4.0

- 2 extremely bright, red 2x0,5 W power LEDs
- 4 modes: permanent, 3 types of flashing
- horizontal and vertical position
- visibility approx. 700 m
- burn time flashing approx. 240 h
- waterproof
- tool-free mounting
- 2x AAA batteries incl.



602110

SAFETY REAR LIGHT SAFE 2.1

- material silicon
- 2 extremely bright red LEDs
- 2 modes: permanent, flashing
- visibility approx. 450 m
- burn time flashing approx. 100 h
- waterproof
- tool-free mounting
- 2x CR2032 batteries incl.



600410

SAFETY REAR LIGHT SAFE 1.0

- 3 extremely bright red LEDs
- integrated reflector
- 3 modes: permanent, 2 types of flashing
- visibility approx. 400 m
- burn time flashing approx. 200 h
- waterproof
- clamp for seat pillar, suitable for belt, backpack, helmet, bag, ...
- 2x AAA batteries incl.





603010



LIGHT SET
VISION 5.1 SET

front light VISION 5.1
and safety rear light



603210



LIGHT SET
VISION 5.0 SET

front light VISION 5.0
and safety rear light SAFE 4.0



602310



LIGHT SET
VISION 3.2 SET

front light VISION 3.2
and safety rear light SAFE 5.1



602410

LIGHT SET
VISION 2.0 SET

front light VISION 2.0
and safety rear light SAFE 2.1



601110

LIGHT SET
VISION 1.0 SET

front light VISION 1.0
and safety rear light



LIGHTING



601310

LIGHT SET STONE SET

- 1 extremely bright LED (front white, rear red)
- 3 modes: permanent, 2 types of flashing
- high quality aluminium housing
- visibility approx. 200 m
- burn time approx. 100 h
- waterproof
- tool-free mounting
- 2x 2 batteries CR2032 incl.



602810

LIGHT SET ALIEN 7.0 SET

- high quality silicone
- extremely bright LED (front white, rear red)
- 3 modes: permanent, 2 types of flashing
- high quality aluminium housing
- visibility approx. 250 m
- burn time approx. 120 h
- waterproof
- tool-free mounting
- 2x 2 batteries CR2032 incl.





602210



600815

LIGHT SET

ALIEN 5.1 SET

- 2 extremely bright LEDs (2x front white, 2x rear red)
- 3 modes: permanent, 2 types of flashing
- visibility approx. 500 m
- burn time flashing approx. 120 h
- waterproof
- tool-free mounting
- 2x 2 batteries CR2032 incl.



LIGHT SET

ALIEN 3.0 SET

- 2 extremely bright LEDs (2x front white, 2x rear red)
- 2 modes: permanent, flashing
- visibility approx. 250 m
- burn time flashing approx. 100 h
- waterproof
- tool-free mounting
- 2x 2 batteries CR2032 incl.







401370
titanium mat



MINI PUMP

AIR 6.1

- for valves FV and AV
- aluminium construction
- 2 operation modes: HP (high pressure), HV (high volume)
- compact and ergonomic shape
- foldable T-handle
- thumb lock lever
- anti-dust cap
- lightweight
- frame bracket incl.
- max. pressure 120/80 PSI (8/5,5 BAR)
- length 245 mm



401010



MINI PUMP

AIR 3.1

- for all valves (FV, AV, DV)
- reinforced plastic barrel and handle
- compact and ergonomic shape
- extractable hose 150 mm with valve
- thumb lock lever
- anti-dust cap
- lightweight
- frame bracket incl.
- max. pressure 100 PSI/7 BAR
- length 225 mm





400210

MINI PUMP AIR 2.0

- for all valves (FV, AV, DV)
- reinforced plastic barrel
- telescope
- compact and ergonomic shape
- thumb lock lever
- lightweight
- frame bracket
- max. pressure 100 PSI/7 BAR
- length 230 mm



400110

MINI PUMP AIR 1.0

- for all valves (FV, AV, DV)
- reinforced plastic barrel
- compact and ergonomic shape
- thumb lock lever
- lightweight
- frame bracket incl.
- max. pressure 80 PSI/5,5 BAR
- length 250 mm





FLOOR PUMP AIR MAX 2.0

- twin valve for all valves (FV, AV, DV)
- reinforced plastic barrel
- ergonomic handle
- thumb lock lever
- precise gauge
- max. pressure 160 PSI/11 BAR
- height 610 mm



400910



FLOOR PUMP AIR MULTI

- twin valve for all valves (FV, AV, DV)
- ball needle and plastic adapter incl.
- reinforced plastic barrel
- ergonomic handle
- thumb lock lever
- max. pressure 160 PSI/11 BAR
- height 510 mm



400710



250410

SADDLE BAG DRIVE 3.0 S

- quick-release T-fix system
- water-repellent fabric
- rear light loop
- size 13x7x5,5 cm
- volume 0,5 l
- 3M Scotchlite™ reflective safety details



3M Scotchlite™



250510

SADDLE BAG DRIVE 3.0 M

- quick-release T-fix system
- water-repellent fabric
- rear light loop
- size 15x8x6 cm
- volume 0,7 l
- 3M Scotchlite™ reflective safety details



3M Scotchlite™



250610

SADDLE BAG DRIVE 3.0 L

- quick-release T-fix system
- water-repellent fabric
- easy expandable storage
- rear light loop
- size 16x11x8 (15) cm
- volume 1,4 l (2,0 l)
- reflective safety details REFLECTIV™



REFLECTIV™



252310

BIKE BAG FOR SMARTPHONES

TOUCH 4.0 L/XL

- for smartphones with screen size from 4,7" up to 6,2"
- water-repellent fabric
- anti-slip material and velcro straps for safety attachment
- hole for headphones
- size 19,5x10x8 cm
- volume 1,4 l
- reflective safety details REFLECTIV™





PHONE BRACKET TOUCH 5.0

- phone bracket for handlebar
- elastic high-quality silicone
- suitable for smartphones with screen size from 4,5" up to 8"
- quick tool-free mounting



PHONE BRACKET TOUCH 2.0

- phone bracket for handlebar
- material elastic silicone
- suitable for smartphones with screen size from 4" up to 6,2"
- quick tool-free mounting





251710

CASE FOR PHONE
TOUCH 1.0 L

- for phone 4,3" up to 5,5"
- size 15,5x8x1,8 cm
- water-repellent fabric, neoprene
- water-resistant zip
- 2 inside pockets
- handlebar or stem bracket



252010

CASE FOR PHONE
TOUCH 1.0 XL

- for phone 5,5" up to 6,2"
- size 16,5x9,5x1,8 cm
- water-repellent fabric, neoprene
- water-resistant zip
- 2 inside pockets





250810

FRAME BAG
FRAME M

- water-repellent fabric
- durable neoprene fabric
- reinforced bottom side
- outer Velcro pocket
- size 21x21x5 cm
- volume 1,6 l
- 3M Scotchlite™ reflective safety details



250910

FRAME BAG
FRAME L

- water-repellent fabric
- durable neoprene fabric
- reinforced bottom side
- outer Velcro pocket
- size 30x21x5 cm
- volume 2,5 l
- 3M Scotchlite™ reflective safety details





250710

FRAME BAG
CASE M

- water-repellent fabric
- lightweight and durable
- size 20x18x5 cm
- volume 1,5 l
- 3M Scotchlite™ reflective safety details



252110

FRAME BAG
CASE L

- water-repellent fabric
- lightweight and durable
- size 31x18x5 cm
- volume 2,4 l
- reflective safety details REFLECTIV™





251010



HANDLEBAR BAG TOURING

- quick-release Easy fix system
- water-repellent fabric
- removable window pocket for maps
- front zippered pocket and light loop
- 2 side pockets
- shoulder strap
- size 29x20x19 cm
- volume 10 l
- 3M Scotchlite™ reflective safety details



251210

CARRIER BAG TRAVEL

- water-repellent fabric
- two inner pockets
- two side zippered pockets
- back mesh pocket with light loop
- universal elastic holder on top
- shoulder strap and handle
- size 34x24x19 cm
- volume 15 l
- reflective safety details REFLECTIV™



CARRIERS



700310

CARRIER CARGO 5.0

- aluminium construction
- adjustable for 24"-28" (700C)
- with spring clamp
- suitable for the attachment of a child seat
- reflector/rear light bracket
- suitable for carrier bag One Travel
- max. load 25 kg
- dimensions 34x13 cm
- weight 750 g



700210

CARRIER CARGO 3.0

- aluminium construction
- adjustable for 24"-29"
- suitable for seat post Ø 25,0-31,8 mm
- reflector/rear light bracket
- suitable for bag One Travel
- max. load 10 kg
- dimensions 34x14 cm
- weight only 560 g



W12810

HANDLEBAR BASKET

- suitable for all types of bikes
- easy mounting
- from wire with durable plastic cover
- dimensions 40x31x19 cm





451110



451180

CHAIN CABLE CHAIN 3.0

- length 1000 mm
- 5 mm thick
- hardened steel
- security level 7
- nylon protective cover
- 2 keys incl.
- weight 550 g



451610

CHAIN CABLE CHAIN 3.0 C

- length 1000 mm
- 5,5 mm thick
- hardened steel
- security level 7
- nylon protective cover
- 4-digit code
- changeable security code
- weight 640 g





451510

CHAIN CABLE CHAIN 2.0

- length 1200 mm
- 3 mm thick
- hardened steel
- security level 5
- nylon protective cover
- 2 keys incl.
- weight 280 g



451310

JOINT ARMORED LOCK IRON 3.0

- 1000x18 mm
- hardened steel and steel string
– double security
- security level 6
- 2 keys incl.
- weight 445 g





450510

CABLE LOCK FORT 8.0

- 1500x12 mm
- security level 5
- seat post bracket
- 2 keys incl.
- weight 395 g



450610

CABLE LOCK FORT 7.0

- 1500x10 mm
- security level 4
- matt colours
- seat post bracket
- 2 keys incl.
- weight 295 g






450210 - 1200x8 mm
450310 - 1800x8 mm



450410

CABLE LOCK FORT 5.0

- 1200x8 mm and 1800x8 mm
- security level 3
- seat post bracket
- 2 keys incl.
- weight 230 g (1200 mm)
- weight 295 g (1800 mm)



CABLE LOCK FORT 6.0 C

- 1500x10 mm
- security level 4
- seat post bracket
- 4-digit code
- changeable security code
- weight 290 g





CABLE LOCK LOOP 7.0

- 650x10 mm
- security level 4
- matt colours
- 2 keys incl.
- weight 175 g



CABLE LOCK LOOP 5.0

- 650x8 mm
- security level 3
- 2 keys incl.
- weight 100 g





450984



450983

CABLE LOCK LOOP 4.0

- 650x10 mm
- security level 4
- 2 keys incl.
- weight 130 g





503010

MINI TOOL TOOL 14.0

- 14 in 1 folding tool
- hex wrench 2|2,5|3|4|5|6|8 mm
- screwdriver +/-
- torx T25
- spoke wrench 14G|15G|0,136"
- riveting tool
- neoprene pouch
- weight 200 g



503110

MINI TOOL TOOL 17.0

- 17 in 1 folding tool
- hex wrench 2|2,5|3|4|5|6 mm
- screwdriver +/-
- socket wrench 8 mm
- open wrench 9|10|12|13|15 mm
- spoke wrench 14G|15G|0,136"
- weight 230 g



MINI TOOLS



503381

MINI TOOL TOOL 10.0

- 10 in 1 folding tool
- hex wrench 2,5|3|4|5|6 mm
- screwdriver +/-
- torx T25
- handle 1/4,,
- tire levers 2x
- weight 120 g



503210

MINI TOOL TOOL 8.0

- 8 in 1 folding tool
- hex wrench 2|2,5|3|4|5|6 mm
- screwdriver +/-
- weight 115 g



503418

MINI TOOL TOOL 3.0

- 3 pcs
- hardened plastic with nylon fibre
- light weight
- prevent rim damage
- spoke hook for easy using
- weight 28 g





W12510

CHAIN BRUSH

- hardened plastic
- suitable for all types of bikes, moto bikes
- suitable for all types of chains
- 2 functions – shorter bristles for chain and longer for bike gears



W12610

CHAIN CLEANER SET

- plastic material
- suitable for all types of bikes, moto bikes
- suitable for all types of chains





500270

CHAIN CLEANER CLEAN 5.0

- 3D chain cleaning, including side nylon brushes
- handle keeps your hands clean and it is easy to use
- for 20 ml of cleaning liquid (not incl.)



500199

REPAIR KIT CLASSIC SET 7.0

- vulcanizing fluid 10 ml
- 3x patches 34x24 mm
- 4x patches Ø 25 mm
- aluminium rough
- valve rubber



MUDGUARDS



200910

FRONT MUDGUARD

FORCE 3.0 F

- wheels diameter 24-29", suitable for suspension forks
- PP and PC plastic material
- easy mounting



201010

REAR MUDGUARD

FORCE 3.0 R

- wheels diameter 24-29"
- adjustable
- mounting on seat post
- PP and PC plastic material
- easy mounting



201110

MUDGUARD SET

FORCE 3.0 SET

- wheels diameter 24-29"
- suitable for suspension forks
- PP and PC plastic material
- adjustable rear mudguard
- rear mudguard - mounting on seat post
- easy mounting



MUDGUARDS



200710

MUDGUARD SET GEAR 5.0 SET

- wheels diameter 26-28"
- width 58 mm
- suitable for V-brakes
- PP plastic material
- easy mounting



200810

MUDGUARD SET GEAR 3.0 SET

- wheels diameter 24-26"
- width 58 mm
- suitable for V-brakes
- PP plastic material
- easy mounting



201210

MUDGUARD SET GEAR 1.1 SET

- wheels diameter 20"
- width 66 mm
- suitable for V-brakes
- PP plastic material
- easy mounting



BOTTLE CAGES



150710

BOTTLE CAGE KIT 5.1

- plastic construction
- easy placement and removal
- weight only 27 g



150810

BOTTLE CAGE KIT 4.0

- plastic construction
- either classic or side (left or right)
- easy placement and removal
- weight only 48 g



BOTTLE CAGES



150510

BOTTLE CAGE KIT 3.1

- plastic construction
- easy placement and removal
- fits different bottle sizes
- weight only 34 g



150910

BOTTLE CAGE KIT 2.5

- plastic construction
- easy placement and removal
- weight only 26 g



BOTTLE CAGES



150410
černá mat



150190
bílá



150120
stříbrná



150110
černá mat

BOTTLE CAGE KIT 2.0

- aluminium construction
- anti-scratch plastics, easy placement and removal
- foolproof bottle fastening
- weight only 67 g



BOTTLE CAGE KIT 1.0

- aluminium construction
- durable and stable design
- easy placement and removal
- only 57 g





BOTTLES



180491



180498



180391



180394



180398

BOTTLE ENERGY 5.0

- volume 750 ml
- push-pull valve
- perfect water tightness
- BPA free
- 100% hygienic antibacterial material



BOTTLE ENERGY 5.0

- volume 500 ml
- push-pull valve
- perfect water tightness
- BPA free
- 100% hygienic antibacterial material



BOTTLES



180534



180590

KID'S BOTTLE

SMILE

- volume 250 ml
- bung with cover
- BPA free
- 100% hygienic antibacterial material
- bottle cage included



BELLS



100490
white



100410
black



W12110



W02350
metal red

wista
sportswear & parts

BELL

MINI

- steel/plastic
- diameter 33 mm
- easy mounting

ROTATING BELL

- steel/plastic
- diameter 41 mm
- easy mounting

wista
sportswear & parts

BELLS



100660



100690



100640



100650



100680



100634



100550



KID'S BELL ZOO

- steel/plastic
- diameter 53 mm
- easy mounting



KID'S BELL BERUSKA

- steel/plastic
- width 45 mm
- easy mounting

BELLS



100719



100135



W03930



100740



100140



W03940

KID'S BELL PLAY

- steel/plastic
- easy mounting

KID'S HORN TOY


- plastic
- easy mounting

KID'S HORN

- plastic
- diameter 73 mm
- easy mounting

wista
sportswear & parts

SPOKE DECORATION | BALANCE WHEELS



W08400

SPOKE DECORATION

- plastic
- 36 pcs in packing
- safety support
- easy mounting



870190
NEW



BALANCE WHEELS BALANCE 3.0

- suitable for wheels 12 – 20"
- plastic and softened PVC
- wheels diameter 130 mm
- steel brackets for added safety
- easy mouting





KID'S BASKET



252540

NEW



252530

NEW

KID'S BASKET

HAPPY 2.0

- handlebar mounting
- high quality plastic
- plastic holder straps included
- sticker with different design included
- dimensions 205x125x145 mm
- volume approx. 3 l
- load capacity 3 kg



BRAKE PADS



800310



800410



800510

DISC BRAKE PADS SET

DISC 3.0

- steel plate
- organic
- for use on:
- Shimano Deore M575, M525, M515, M506, M495, M486, M485, M475, M466, M465, M447, M446, M445, M416, M415, M395, M375, Nexave C501, C601, RST D-power, Tektro Aquila, Draco, Auriga, Gemini, Orion, Dorado, HDC, TRP Hylex, HYRD, Spyre, Giant MPH Root



DISC BRAKE PADS SET

DISC 3.1

- steel plate
- organic
- for use on:
- Shimano XTR M985, XT M785, SLX M675, M666, Deore M615, BR-CX77, FSA K-Force DB-XC-9000, FSA Afterburner DB-XC-9150



DISC BRAKE PADS SET

DISC 3.2

- steel plate
- organic
- for use on:
- Shimano XTR M975, M966, M965, XT M775, M765, SLX M665, LX M585, Deore M535, Saint M800, Hone M601, Tektro Dash, Parabox



BRAKE SHOES



BRAKE SHOES SET BRAKE 5.0

- with thread
- 72 mm length
- 3-coloured brake rubbers = 3 functions
- grey – great stopping power under wet conditions
- black – high all-round brake performance
- green - low noise



BRAKE SHOES SET BRAKE 3.0

- with thread
- 70 mm length
- high efficiency in all conditions





760410



760617



760517

GRIPS

GRIP 7.0 LR

- anti-slip rubber with raster
- 130 mm length
- both-sided aluminium lock LockRing for higher safe
- hard inner mixture for good connection with handlebar
- soft raster outer mixture for comfort, shock absorbing and perfect grip



GRIPS

GRIP 6.0 LR

- anti-slip rubber
- 136 mm length
- 2-component grip
- ergonomic shape
- aluminium lock LockRing for higher safe
- hard inner mixture for good connection with handlebar
- soft raster outer mixture for comfort, shock absorbing and perfect grip



GRIPS

GRIP 6.0

- anti-slip rubber
- 136 mm length
- 2-component grip
- ergonomic shape
- hard inner mixture for good connection with handlebar
- soft outer mixture for comfort, shock absorbing and perfect grip



760317

GRIPS

GRIP 5.1

- anti-slip rubber
- 130 mm length
- 2-component grip
- hard inner mixture for good connection with handlebar
- soft outer mixture for comfort, shock absorbing and perfect grip



W11510

GRIPS

- anti-slip rubber
- 128 mm length
- comfortable grip even in wet condition
- soft mixture for comfort, shock absorbing and perfect grip

wista
sportswear & parts



**REAR KICKSTAND
STAND 4.0 R**

- aluminium construction
- adjustable for 24-29"
- anti-slip foot



**CENTER KICKSTAND
STAND 3.0 C**

- aluminium construction
- adjustable for 24-29"
- anti-slip foot



PEDALS



300110

PEDALS RIDE 6.0

- aluminium body
- lightweight construction
- ball bearings
- reflectors
- dimensions 102x77 mm
- weight of pair 360 g



300510

PEDALS RIDE 3.0

- hardened plastic body
- suitable for MTB and E-bike
- lightweight durable construction
- ball bearings
- reflectors
- dimensions 110x95 mm
- weight of pair only 310 g



300310

PEDALS RIDE 2.0

- hardened plastic body
- lightweight durable construction
- ball bearings
- reflectors
- dimensions 110x75 mm
- weight of pair only 325 g



550110

SADDLE COVER COVER 3.0

- gel padding absorbs road shocks
- dimension 195x280 mm
- anti-slip bottom side
- simple drawstring fitting
- washable surface



W08260

WHEEL REFLECTORS SET

- dimensions 72 x 36 mm
- 4 pcs in set
- for added safety
- easy mounting



750110

BAR ENDS SHAPE 3.0

- aluminium alloy
- length 110 mm, straight
- ergonomic shape
- anatomic caps
- including handlebar cap





TUBES

- high-quality butyl rubber
- air-tightness for long time
- durable puncture resistant



W11200

VALVE ADAPTER

- DV+FV valve reduction to AV valve
- 2 pcs in set



519985

VALVES

- classic valve - Dunlop DV
- 2 pcs in set



size	700x28-47C	700x18-25C	29x1.9-2.35	27,5x1.9-2.35	26x1.75-2.125	26x1 3/8-1 1/2	24x1.75-2.125	20x1.75-2.125	12 1/2x1.75x2 1/4	12 1/2x1.75x2 1/4
	28/47-622/630/635	18/25-622/630	50/60-622	50/60-584	47/57-559	32/44-584/597	47/57-507	47/57-406	47/62-203	47/62-203
valve length	AV 35 mm, FV 33 mm	40 mm	40 mm	AV 35 mm, FV 40 mm	AV 35 mm, FV 33 mm	35 mm	35 mm	35 mm	35 mm	28 mm, 90°
AV - schrader valve	900110	-	901010	W00510	900310	-	900510	900610	W01210	901410
FV - presta valve	900210	901310	900910	901210	W00810	-	-	-	-	-
DV - dunlop valve	-	-	-	-	-	W01110	-	-	-	-



TIRE
ALLIGATOR 29

- size 29x2,10 (53-622)
- wire bead
- recommended pressure 40-65 PSI
- density 30 TPI
- weight only 810 g



TIRE
ALLIGATOR 26

- size 26x2,10 (53-559)
- wire bead
- recommended pressure 40-65 PSI
- density 30 TPI
- weight only 800 g



TIRE
EAGLE 26

- size 26x2,0 (52-559)
- wire bead
- recommended pressure to 40 PSI
- density 30 TPI
- weight only 640 g



TIRE
SNAKE 700

- size 700x35C (37-622, 28x1 5/8x1 3/8)
- wire bead
- recommended pressure to 60 PSI
- density 30 TPI
- weight only 580 g




TIRE
VIPER 700

- size 700x35C (37-622, 28x1 5/8x1 3/8)
- wire bead
- recommended pressure 50-75 PSI
- density 30 TPI
- weight only 460 g



bike parts



VIVA Lanškroun spol. s r.o.
Opletalova 92
CZ-563 01 Lanškroun
Czech Republic
e-mail: export@viva-sport.cz
tel.: +420 732 523 057

www.just-one.cz